


SSP-Opulent Under 18 - Long Pattern (45)

StartStopLoadsSpeedCrossedStartEndFeetT.Oil12L2R5101850.05.65.6740024L4R314995.611.55.9396036L6R2185811.516.65.12320410L10R3226316.625.99.32520512L12R1221725.929.03.168062L2R030022.40.00.022.40.0
Start Stop Loads Speed Crossed Start End 1 2L 2R 5 10 185 0.0 5.6 5.6 7400 1 2L 2R 0 30 0 45.0 37.0 31.9 36.0 5.6 5.1 2320 36.0 6.6 5.1 2320 36.0 6.0 6.7 9.3 2520 36.0 6.0 6.7 9.3 2520 5 2.0 3.1 680 680 2 10 74 25.2 2.2.4
1 2L 2R 5 10 185 0.0 5.6 5.6 7400 2 4L 4R 3 14 99 5.6 11.5 5.9 3960 2 8L 8R 2 18 50 37.0 31.9 3 6L 6R 2 18 58 11.5 16.6 5.1 2320 3 6L 6R 2 14 58 31.9 28.0 4 10L 10R 3 22 63 16.6 25.9 9.3 2520 5 12L 12R 1 22 17 25.9 29.0 3.1 680 5 2L 2R 2 10 74 25.2 22.4 5 2L 2R 2 10 74 25.2 22.4
Forward Reverse More



Left 90°	Left 45°	Front 0°	Front 45°	Overhead	Riaht 90°	Riaht 45°

0

2

2

1

2

1

2

1

0

I I I Forward Reverse More

30

26

22

22

18

18

14

14

10



T.Oil

0

1200

1520

920

2160

1240

2800

1480

0

SSP-Opulent Under 18 - Medium Pattern (39)

Oil Per Board: 40 uL	
----------------------	--

Oil Pattern Distance: 39 Feet

Volume Oil Total: 25.24 mL

1

2 13L

3

4 9L

5

6 5L 7 3L

8

9 2L

Total Boards Crossed: 631 Boards

39.0

12.3

Loads Speed Crossed Start End Feet

0

30 34.0

38 26.7

23 20.5

54 17.4

31

70 9.8

37 5.9

0 4.0

Forward Oil Total: 13.92 mL Forward Boards Crossed: 348 Boards

Reverse Oil Total: Reverse Boards Crossed:

Stop

2R

13R

11R

9R

7R

5R

3R

2R

2R

Start

2L

111

7L

2L

11.32 mL 283 Boards

34.0

26.7

20.5

17.4

12.3

98

5.9

4.0

0.0

-5.0

-7.3

-6.2

-31

-5.1


-2.5

-3.9

-1.9

-4.0

	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	2	10	74	0.0	1.4	1.4	2960
2	6L	6R	3	10	87	1.4	5.6	4.2	3480
3	7L	7R	1	14	27	5.6	7.5	1.9	1080
4	8L	8R	1	14	25	7.5	9.4	1.9	1000
5	9L	9R	1	14	23	9.4	11.3	1.9	920
6	10L	10R	1	14	21	11.3	13.2	1.9	840
7	11L	11R	1	14	19	13.2	15.1	1.9	760
8	12L	12R	1	14	17	15.1	17.0	1.9	680
9	13L	13R	1	14	15	17.0	18.9	1.9	600
10	14L	14R	1	14	13	18.9	20.8	1.9	520
11	15L	15R	1	14	11	20.8	22.7	1.9	440
12	16L	16R	1	14	9	22.7	24.6	1.9	360
13	17L	17R	1	14	7	24.6	26.5	1.9	280
14	2L	2R	0	30	0	26.5	39.0	12.5	0
			_						
	\leftrightarrow	Forwa	ard Re	everse	More				





SSP-Opulent Under 18 - Short Pattern (33)

Start Stop Loads Speed Crossed Start End Feet T.Oil 2 2 1 10 37 0.0 0.0 1480 2 4 1 10 33 0.0 1.4 1.4 1320 2 5 7 1 6 2.4 2.0 1.4 50 24.0 -9.0 2.8 8 2 14 50 24.0 -9.0 2.8 8 2 14 50 24.0 20.1 -3.9 2.3 3.7 7 7.0 0.0 0.0 1.4 1.4 1320 2.8 8 2 14 50 24.0 2.9 2.9 2.3 2.4 2.4 2.1 2.	Oil Per Board: 40 uL			Oil Pattern Distance: 33 Feet					Volume Oil Total: 22.96 mL					Total Boards Crossed: 574 Boards							
Start Stop Loads Speed Crossed Start End Feet T.Oil L 2R 1 10 37 0.0 0.0 0.44 1.44 1.22 2R 0 30 0 33.0 24.0 9.0 2 8L 8R 2 14 50 24.0 9.0 2 8L 8R 2 14 50 24.0 2.0 1 2.4 2.0 2.0 30 0 33.0 24.0 9.0 2 8L 8R 2 14 50 24.0 2.0 1 2.0 2.0 30 0 33.0 24.0 9.0 2 3 7L 7R 2 14 50 24.0 2.0 1 2.9 3 7L 7R 2 14 50 24.0 2.0 1 2.9 3 7L 7R 2 14 54 2.1 1.62 7.3.9 2 3 7L 7R 2 14 58 16.2 12.3 3.9 2 <t< th=""><th colspan="3">Forward Oil Total:</th><th>12.68 m</th><th></th><th></th><th>Rev</th><th></th><th></th><th>10.</th><th>.28 m</th><th>L</th><th></th></t<>	Forward Oil Total:			12.68 m			Rev			10.	.28 m	L									
L 2R 1 10 37 0.0 0.0 1480 L 4R 1 10 33 0.0 1.4 1.4 1320 L 5R 2 10 62 1.4 4.2 2.8 2480 L 6R 2 14 50 24.0 20.1 -3.9 2 L 6R 2 14 58 4.2 8.1 3.9 2320 L 7R 2 18 54 8.1 13.2 5.1 2160 L 8R 2 18 50 13.2 18.3 5.1 2000 L 9R 1 22 23 18.3 21.4 3.1 920 L 2R 0 26 0 21.4 27.0 5.6 0	Forward Boards Crossed:																				
L 4R 1 10 33 0.0 1.4 1.4 1320 L 5R 2 10 62 1.4 4.2 2.8 2480 L 6R 2 14 58 4.2 8.1 3.9 2320 L 7R 2 14 58 4.2 8.1 3.9 2320 L 7R 2 18 54 8.1 13.2 5.1 2160 L 8R 2 18 54 8.1 13.2 5.1 2160 L 9R 1 22 23 18.3 5.1 2000 L 9R 1 22 23 18.3 5.1 2000 L 2R 0 26 0 21.4 3.1 920		Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil		4	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	Т
1 5R 2 10 62 1.4 4.2 2.8 2480 1 6R 2 14 58 4.2 8.1 3.9 2320 1 7R 2 18 54 8.1 3.9 2320 1 7R 2 14 58 16.2 12.3 -3.9 2 1 7R 2 18 54 8.1 13.2 5.1 2160 1 8R 2 18 50 13.2 18.3 5.1 2000 1 9R 1 22 23 18.3 21.4 3.1 920 1 2R 0 26 0 21.4 27.0 5.6 0		2L	2R	1	10	37	0.0	0.0	0.0	1480	1	1	2L	2R	0		0	33.0		-9.0	
L 6R 2 14 58 4.2 8.1 3.9 2320 L 7R 2 18 54 8.1 13.2 5.1 2160 L 8R 2 18 50 13.2 18.3 5.1 2000 L 9R 1 22 23 18.3 21.4 3.1 920 L 2R 0 26 0 21.4 27.0 5.6 0		4L	4R	1	10	33	0.0	1.4	1.4	1320	2	-	8L				50				
L 7R 2 18 54 8.1 13.2 5.1 2160 L 8R 2 18 50 13.2 18.3 5.1 2000 L 9R 1 22 23 18.3 21.4 3.1 920 L 2R 0 26 0 21.4 27.0 5.6 0		5L	5R			62		4.2	2.8	2480	3										
L 8R 2 18 50 13.2 18.3 5.1 2000 J 9R 1 22 23 18.3 21.4 3.1 920 L 2R 0 26 0 21.4 27.0 5.6 0		6L									4										
9R 1 22 23 18.3 21.4 3.1 920 2R 0 26 0 21.4 27.0 5.6 0		7L																			
L 2R 0 26 0 21.4 27.0 5.6 0		8L									-										
		9L									7		2L	2R	0	10	0	8.1	0.0	-8.1	
L 2R 0 30 0 27.0 33.0 6.0 0																					
)	2L	2R	0	30	0	27.0	33.0	6.0	0											
	8	2L 2L	2R	0	26	0	21.4	27.0	5.6	0					Ū	10		0.1			
▶ ▶ Forward Reverse More	-	\rightarrow			everse												More				

